SMOOTHING FOOT SCRUB

with Florabeads® Jojoba and Floraesters K-20W® Jojoba



This smoothing foot scrub contains spherical Florabeads Jojoba which provide gentle exfoliation and residual jojoba emolliency while Floraesters K-20W Jojoba provides a moisture barrier to hydrate rough and dry skin.

Formula Number: B005, Revision Date: January 2023

Phase	Trade Name	INCI	Supplier	%WT
A	Deionized Water	Water		q.s.
	Carbopol® Ultrez 20 Polymer	Acrylates/C10-30 Alkyl Acrylate Crosspolymer	The Lubrizol Corporation	1.10
	Versene® Na2 Crystals	Disodium EDTA	The Dow Chemical Co.	0.05
	Chelating Agent			
В	Butylene Glycol	Butylene Glycol	Making Cosmetics	2.00
	Propylene Glycol USP/EP	Propylene Glycol	Ashland	1.00
	Preservative			q.s.
С	Standapol® ES-2	Sodium Laureth Sulfate	BASF Corporation	25.00
	Tween® 20	Polysorbate 20	Croda International	1.50
	Lexaine® C	Cocamidopropyl Betaine	Inolex	2.00
D	Floraesters K-20W Jojoba	Hydrolyzed Jojoba Esters (and) Water (Aqua)	Cargill Beauty	8.00
	Glycerox 767	PEG-6 Caprylic/Capric Castor Oil	Croda International	1.50
E	Fragrance			q.s.
	Tween® 20	Polysorbate 20	Croda International	1.00
	Florabeads Jojoba 60/100	Jojoba Esters	Cargill Beauty	4.00
	White (Natural)1			
	Pumice	Pumice	Charles B. Chrystal Co.,	8.00
			Inc	

¹ Any color or combination of colors may be used.

PROCESS

- 1. Combine the Carbopol Ultrez 20 Polymer with the deionized water. Start mixing with moderate propeller agitation after hydrated. Heat to 50°C and add the Versene Na2 Crystals Chelating Agent with moderate propeller agitation.
- 2. Combine the ingredients of Phase B and warm to 45°C with moderate propeller agitation until the preservative has dissolved. Slowly add Phase B to Phase A. Cool Phase AB to 35°C.
- Combine the ingredients of Phase C at room temperature with low propeller agitation. Slowly add Phase C to Phase AB with low to moderate propeller agitation. Mix until the mixture is uniform.
 Neutralize Phase ABC by using the Floraesters K-20W Joioba premixed with the Glycerox 767 of Phase D with low
- 4. Neutralize Phase ABC by using the Floraesters K-20W Jojoba premixed with the Glycerox 767 of Phase D with low to moderate sweep agitation. Add the fragrance premixed with the Tween 20 in Phase E with low sweep agitation. Cool to room temperature. Add the remaining ingredients in Phase E with low sweep agitation.



Unleashing Nature

Sustainably