## HAIR STYLING CLAY

with Florasun® 90, Floraesters® 20, and Floraesters 15



This formula provides flexible control to your hairstyle while leaving hair shiny and conditioned. The Floraesters 15, Floraesters 20, and Florasun 90 contribute to emolliency, shine, and conditioning.

Phase	Trade Name	INCI	Supplier	%WT
А	White Petrolatum USP	Petrolatum	Penreco	28.50
	Beeswax Yellow Refined SP 6	Beeswax	Strahl & Pitsch	6.00
	Bentone Gel® VS-5 PC V	Cyclomethicone (and) Quaternium-18 Hectorite (and) SD	Elementis Specialties	5.00
		Alcohol 40		
	Florasun 90	Helianthus Annuus (Sunflower) Seed Oil	Cargill Beauty	5.00
	Floraesters 20	Jojoba Esters	Cargill Beauty	3.00
	Floraesters 15	Jojoba Esters	Cargill Beauty	7.00
	Supra® H USP	Talc	Luzenac America, Inc.	2.00
	Carnauba Wax SP 63	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch	6.00
В	Deionized Water	Water		q.s.
	Florasolvs® PEG-150	Jojoba Oil PEG-150 Esters	The HallStar Company	10.00
	Hydrogenated Jojoba			
	Preservative			q.s.
С	Fragrance			q.s.
	Covi-Ox® T 70 C	Tocopherol	BASF Corporation	1.00

## **PROCESS**

- 1. Combine Phase A ingredients and heat to 90°C with moderate propeller agitation. Mix until uniform.
- 2. Combine Phase B ingredients and mix at 80°C with moderate propeller agitation. When completely mixed, slowly add to Phase A with rapid propeller agitation.
- 3. Cool to 75°C and add Phase C components. Transfer to containers while still hot and fluid. Cool to room temperature.



