PRE-SUN LOTION WITH FLORAMAC 10

with Floramac® 10



This pre-sun lotion with mineral sunscreen actives provides even coverage and superior protection without drying the skin. **Floramac 10** evenly disperses the zinc oxide and titanium dioxide to improve the sunscreen efficacy, boosting static SPF and improving skin feel.

Phase	Trade Name	INCI	Supplier	%WT
A	SF1202	Cyclopentasiloxane	Momentive Performance	q.s.
			Materials	
	Bentone Gel® VS-5 PC V	Cyclomethicone (and) Disteardimonium Hectorite (and) Propylene	Elementis Specialties	2.50
		Carbonate		
	UV Cut TiO2-41	Titanium Dioxide (and) Cyclopentasiloxane (and) Hexyl Laurate (and)	Grant Industries	15.00
		PEG-10 Dimethicone (and) Polyglyceryl-4 Isostearate (and) Stearic		
		Acid (and) Alumina		
	UV Cut ZnO-61	Zinc Oxide (and) Cyclopentasiloxane (and) PEG-10 Dimethicone	Grant Industries	25.00
	Floramac 10	Ethyl Macadamiate	Cargill Beauty	12.00
	Gransurf 90	Cetyl PEG/PPG-10/1 Dimethicone	Grant Industries	2.50
	Gransil PSQ	Polymethylsilsequioxane	Grant Industries	2.50
	Vitamin E Acetate	Tocopheryl Acetate	Essential Ingredients	0.20
	Preservative			q.s.
В	Deionized Water	Water		10.00
	Glycerine 99.7% USP Kosher	Glycerin	Acme-Hardesty Co.	2.00
	Butylene Glycol	Butylene Glycol	Making Cosmetics	2.00

¹ Preservative: Bronidox[®] 1160 [INCI: Phenoxyethanol] supplied by BASF Corporation

² The clinical study of S021 was conducted by Eurofins CRL Inc. on a panel with a total of 3 male subjects aged 29-48 for static SPF testing. Testing was conducted according to the US FDA Final Rule; 21 CFR Parts 201 and 310. Final Report available upon request.

CHARACTERISTICS

- Viscosity: 31 41kcP
- Mean SPF (n=3):² 45

Cargill Beauty Unleashing Nature Sustainably

PROCESS

- 1. Slowly add the SF1202 to the Bentone Gel VS-5 PC V with stirring. Once mixture is a smooth uniform gel, shift to moderate propeller mixing.
- 2. Add the remaining ingredients of Phase A in the order listed with moderate propeller agitation. Once combined, mix with moderate homomixing agitation until uniform.
- 3. In a separate container, mix all the ingredients of Phase B until uniform.
- 4. Very slowly add Phase B to Phase A with moderate homomixing agitation until smooth.

PATENTS AND REGULATIONS The information presented herein is intended to illustrate the possible technical applications of our products. However, since the use of this information and our products is beyond our control, any recommendations or suggestions are made without guarantee of warranty in each country and particularly in the absence of patent rights. In addition, we recommend that the user ensures that this product is in compliance with the local regulations in force, particularly in the country where the finished product is to be consumed. It is the responsibility of the user to comply with the patents and the regulations in force. Cargill has not tested Floramac 10 in final OTC drug formulations. Compliance with FDA regulations is the responsibility of the customer.

